

**Test Report** No.: SHHL1607043389SP Date: AUG.11, 2016 Page: 1 of 7

NINGBO SWAN SPORTS APPLIANCE MANUFACTURING CO., LTD NO.51 LANE 776, YUFAN EAST ROAD, ZHENHAI, NINGBO, ZHEJIANG, CHINA

The following sample(s) was/were submitted and identified by the client as:

Sample Description : INLINE SKATES

Style/ Item No. : TE-782

Manufacturer : NINGBO SWAN SPORTS APPLIANCE

MANUFACTURING CO., LTD

Supplier : NINGBO SWAN SPORTS APPLIANCE

MANUFACTURING CO., LTD

Sample Receiving Date : JUL. 28, 2016

Testing Period : JUL. 28, 2016 TO AUG. 11, 2016

Test Performed : SELECTED TEST(S) AS REQUESTED BY APPLICANT
Test Requested : EN 13843: 2009 ROLLER SPORTS EQUIPMENT—

INLINE-SKATES – SAFETY REQUIREMENTS AND TEST

**METHODS** 

Test Result(s) : FOR FURTHER DETAILS, PLEASE REFER TO THE

FOLLOWING PAGE(S)

Conclusion : THE SUBMITTED SAMPLE MET THE TEST

REQUIREMENT.

\*\*\*\*\*

Signed for and on behalf of

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Melody Zhang

**Authorized Signatory** 





**Test Report** No.: SHHL1607043389SP Date: AUG.11, 2016 Page: 2 of 7

#### **Test Conducted:**

## <u>EN13843: 2009 Roller sports equipment—Inline-skates – Safety requirements and test</u> <u>methods</u>

1. Scope

This standard applies to inline-skates intended for users with a body mass of more than 20kg and less than 100 kg.

It specifies safety requirements for inline-skates, specifications for test methods, marking and information supplied by the manufacturer to reduce the risk of injuries to both third parties and the user during their normal use.

Inline-skates for use by a user of less than 20 kg do not belong to the scope of this European Standard. They are toys.

This Standard does not apply to roller skates according to EN 13899.

2. Test Sample: 1 pair of inline-skate.

3. Maximum user weight: 100KG

4. Classification of inline-skates: Class A

5. Test result: Details shown as following table:

Clause	Test items	Rating
4	Requirements	
4.1	General	
4.2	Classification of inline-skates	
4.2.1	Class A Inline-skates intended for use by a user mass of more than 20kg up to 100kg.	
4.2.2	Class B Inline-skates intended for use by a user mass of more than 20kg up to 60kg and a length of the foot of no more than 260mm.	
4.3	Safety requirements	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



**Test Report** No.: SHHL1607043389SP Date: AUG.11, 2016 Page: 3 of 7

Clause	Test items	Rating
4.3.1	Protruding component and edges	
	All protruding components and edges on the inline-skate that can come into contact	
	with body parts during normal use shall be deburred or constructed in such a way	Pass
	as to prevent injury.	
	The test is carried out according to 5.4.2.	
	Binding elements	
	Binding elements shall prevent unintentional disconnection from the user's foot.	
4.3.2	This requirement is considered to be fulfilled if the correct functioning of the inline-	Pass
	skate is not impeded by broken, disconnected or loosened binding elements after	
	the tests according to clause 5.	
4.3.3	Chassis	
	General	Pass
	The chassis consists of one or more supports, axles, wheels, bearings and fixings.	
	It shall withstand the impact loads, the constant load and the static load to which it	
4.3.3.1	is exposed during use. The chassis shall be attached to the shoe and/or shoe	
4.5.5.1	mounting in such a way as to be secured against unintentional loosening.	
	These requirements are considered to be fulfilled if the correct functioning of the	
	inline-skate is not impeded by broken, disconnected or loosened binding elements	
	after the tests according to clause5.	
	Axles	
	The axles shall be attached and designed in such a way as to ensure that they	Pass
	cannot become loose, displaced or deformed during use. The wheels shall be	
4.3.3.2	secured on the axles against unintentional loosening. These requirements are	
	considered to be fulfilled if the axles are not loosened, deformed or displaced to	
	such an extent as to impair proper functioning, and the wheels have not become	
	loose after the tests according to clause 5.	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of itability, indemnification and jurisdiction issues defined reien. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, foregor or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233 www.sgsgroup.com.cn e sgs.china@sgs.com



**Test Report** No.: SHHL1607043389SP Date: AUG.11, 2016 Page: 4 of 7

Clause	Test items	Rating
4.3.3.3	Wheels	
	The wheels shall be constructed from non-slip material. This requirement is	Pass
	considered to be fulfilled if a coefficient of adhesion $\mu_{\circ}$ of least 0.30 is achieved in	
	the test according to 5.3.4.	
	After the tests according to clause 5, the wheels shall not show tears, They shall	
	further not have loosened or be deformed to the extent that a risk of their becoming	
	blocked exists.	
	Bearings	
	The bearing shall be laid out in such a way as to be functional after the tests	
4.3.3.4	according to clause 5. They shall be constructed in such a way as to permit	Pass
	servicing according to the user information without impairment of their operational	
	safety.	
	Starting and/or braking devices	Pass
	If an inline-skate is equipment with a starting and/or braking device, this device shall	
	be unbreakable and secured against loosening. It shall not cause an unintentional	
	impediment of the inline-skates' motion	
4.3.4	These requirements are considered to be fulfilled if the test according to cause 5 did	
	not cause a noticeable loosening of the starting and/or raking device.	
	The clearance between the starting and/or braking device and the ground is	
	required to prevent unintentional braking. This requirement is considered to be	
	fulfilled, if this clearance is at least 7mm but not more than 17mm.	
	Self-locking fixings	Pass
	Where self-locking nuts are used, the entire thread, including the locking section,	
4.3.5	shall be in contact with the bolt, Self-locking nuts and other self-locking fixings that	
7.0.0	are loosened several times for the purpose of modification or servicing, shall be	
	suitable for this purpose. The user information shall indicate when self-locking nuts	
	and other self-locking elements can loose their effectiveness.	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of itability, indemnification and jurisdiction issues defined reien. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, foregor or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 t (86) 400 960 9661

www.sgsgroup.com.cn



**Test Report** No.: SHHL1607043389SP Date: AUG.11, 2016 Page: 5 of 7

Clause	Test items	Rating
6.	Marking	
	Each inline-skate shall be legibly and durably marked with the following information:	
	a) the number of this European Standard;	
	b) the name, trademark or other means of identification of the manufacturer or	Pass
	retailer;	Pass
	c) means of identification of the model;	
	d) maximum weight limit or indication of the class (A or B). If the maximum weight	
	limit is not marked this shall be given in the package.	
7	Information supplied by the manufacturer	
	General	
	Easily understood information supplied by the manufacturer shall be supplied with	
	each pair of inline-skates. This shall ensure that even a novice user will be able to	
7.1	use, handle and maintain the inline-skates. Texts describing difficult or complicated	Pass
	operations are to be complemented with illustrations.	
	The information shall be supplied together with the recommendation that this	
	information shall be retained by the user for future reference.	
7.2	Contents	
	General	
7.2.1	The information supplied by the manufacturer shall contain, in text or picture form,	Pass
	at least the information in accordance with 7.2.2, 7.2.3, 7.2.4 and 7.2.5.	
	Information about the construction of the inline-skate	
	This information shall contain at least:	
	a) note to the effect that no modifications shall be made that can impair safety;	
7.2.2	b) note indicating, if applicable, that the inline-skates do not contain a starting	Pass
	and/or braking device;	
	c) note indicating if self-locking nuts and other self-locking fixings may loose their	
	effectiveness.	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of itability, indemnification and jurisdiction issues defined reien. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, foregor or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

of email: CN.Doccheck@sgs.com 4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐江区宜山路889号4号楼 邮编: 200233 www.sgsgroup.com.cn e sgs.china@sgs.com



**Test Report** No.: SHHL1607043389SP Date: AUG.11, 2016 Page: 6 of 7

Clause	Test items	Rating
7.2.3	Instructions for use	
	The instructions for use shall contain at least:	
	a) notes concerning limitations of use according to the Road Traffic Act and	
	recommendations regarding or descriptions of suitable surfaces (flat, clean, dry	ļ
	and where possible away from other road users);	
	b) warning that the user should always wear protective equipment (hand/wrist	Pass
	protection, knee protection, head protection and elbow protection) and reflective	
	device;	
	c) instruction to check that the inline-skate's steering mechanism, if present, is	ı
	correctly adjusted and that the connective components are firmly secured;	
	d) description of the correct techniques for use and for braking.	
	Servicing and maintenance instructions	
	Clear note stating that regular maintenance enhances the safety of the equipment.	
	This includes:	
	a) note regarding the different properties of the various bearing constructions and	
	their maintenance;	Pass
7.2.4	a) replacement of wheels, buffers and parts of the braking device (where possible or	
	present);	
	b) lubrication of the bearings;	
	c) steering adjustment;	
	d) note to remove any sharp edges created through use;	
	e) running checks.	
7.2.5	Inline-skate's class	Pass
1.2.5	The class including the explanation in 4.2 is to be stated.	F855

### Remark:

Only electronic making and instruction were provided.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined rein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, foregory or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) \$307 1443,

4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233 www.sgsgroup.com.cn e sgs.china@sgs.com



# **Test Report**

No.: SHHL1607043389SP

Date: AUG.11, 2016 Page: 7 of 7

### Sample Photo:

### Received sample



SGS authenticate the photo on original report only

\*\*\*End of Report\*\*\*

